# DUMPS SARENA

Zend Certified Engineer

**Zend 200-710** 

**Version Demo** 

**Total Demo Questions: 15** 

**Total Premium Questions: 232** 

**Buy Premium PDF** 

https://dumpsarena.com

sales@dumpsarena.com

dumpsarena.com



#### **QUESTION NO: 1**

Which methods can be used to overload object properties? (Choose 2)

**A.** set(), get()

**B.** \_\_set(), \_\_get()

**C.** \_\_put(), \_\_receive(), \_\_exists()

**D.** set(), get(), isset()

E: \_\_isset(), \_\_unset()

#### **ANSWER: B**

#### **QUESTION NO: 2**

The XML document below has been parsed into \$xml via SimpleXML. How can the value of tag accessed?

Value

- A. \$xml->bar['foo']
- B. \$xml->bar->foo
- C. \$xml['document']['bar']['foo']
- D. \$xml->document->bar->foo
- E: \$xml->getElementByName('foo');

#### **ANSWER: B**

#### **QUESTION NO: 3**

An unbuffered database query will: (Choose 2)

- A. Return the first data faster
- B. Return all data faster
- C. Free connection faster for others scripts to use
- D. Use less memory

#### **ANSWER: A D**



#### **QUESTION NO: 4**

What can prevent PHP from being able to open a file on the hard drive (Choose 2)?

- **A.** File system permissions
- B. File is outside of open\_basedir
- C. File is inside the /tmp directory.
- D. PHP is running in CGI mode.

**ANSWER: A B** 

#### **QUESTION NO: 5 - (FILL BLANK)**

What is the output of the following code?

```
function increment ($val)
{
    ++$val;
}
$val = 1;
increment ($val);
echo $val;
```

#### **ANSWER: 1**

#### **QUESTION NO: 6**

When uploading a file to a PHP script using the HTTP PUT method, where would the file data be found?

- A. the \$\_FILES super-global
- B. the input stream php://input
- C. the \$\_POST super-global
- D. the global variable scope

**ANSWER: B** 

### **DUMPS@ARENA**

#### **QUESTION NO: 7**

When a browser requests an image identified by an img tag, it never sends a Cookie header.

- A. TRUE
- **B.** FALSE

#### **ANSWER: B**

#### **QUESTION NO: 8**

You need to escape special characters to use user input inside a regular expression. Which functions would you use? (Choose 2)

- A. addslashes()
- B. htmlentities()
- C. preg\_quote()
- **D.** regex\_quote()
- E: quote meta()

#### **ANSWER: C**

#### **QUESTION NO: 9**

Which of the following statements about anonymous functions in PHP are NOT true? (Choose 2)

- A. Anonymous functions can be bound to objects
- B. Anonymous functions created within object context are always bound to that object
- C. Assigning closure to a property of an object binds it to that object
- **D.** Methods bind() and bindTo() of the Closure object provide means to create closures with different binding and scope E: Binding defines the value of \$this and the scope for a closure

#### **ANSWER: B C**

#### **QUESTION NO: 10**

Which of the following are valid identifiers? (Choose 3)

- A. function 4You() { }
- **B.** function \_4You() { }

## **DUMPS@ARENA**

```
C. function object() { }
D. $1 = "Hello";
E: $_1 = "Hello World";
```

#### **ANSWER: B C**

#### **QUESTION NO: 11**

PHP's array functions such as array\_values() can be used on an object if the object...

- A. implements Traversable
- B. is an instance of ArrayObject
- C. implements ArrayAccess
- **D.** None of the above

#### **ANSWER: D**

#### **QUESTION NO: 12**

What is the result of the following code?

```
define('PI', 3.14);
class T
{
  const PI = PI;
}
class Math
{
  const PI = T::PI;
}
  echo Math::PI;
A. Parse error
B. 3.14
C. PI
```

**D.** T::PI

## **DUMPSQARENA**

ANSWER: B	
QUESTION NO: 13	
How can the id attribute of the 2nd baz element from the XML string below be retrieved fr	rom the SimpleXML object
found inside \$xml?	
One	
Two	
One	
Two	
One	
Two	
A. \$xml->getElementById('2');	
<b>B.</b> \$xml->foo->bar->baz[2]['id']	
<b>C</b> . \$xml->foo->baz[2]['id']	
<b>D.</b> \$xml->foo->bar->baz[1]['id']	
E. \$xml->bar->baz[1]['id']	
ANSWER: E	
QUESTION NO: 14	
What is the output of this code?	
<pre>\$world = 'world';</pre>	
echo <<<'TEXT'	
hello \$world	
TEXT;	
A. hello world	
B. hello \$world	
C. PHP Parser error	
ANSWER: C	



#### **QUESTION NO: 15**

Your application uses PHP to accept and process file uploads. It fails to upload a file that is 5 MB in size, although upload\_max\_filesize is set to "10M". Which of the following configurations could be responsible for this outcome? (Choose 2)

- A. The PHP configuration option post\_max\_size is set to a value that is too small
- B. The web server is using an incorrect encoding as part of the HTTP response sent to the client
- C. The browser uses an incorrect encoding as part of the HTTP request sent to the server
- D. The hidden form field MAX\_FILE\_SIZE was set to a value that is too small
- E: PHP cannot process file uploads larger than 4 MB

**ANSWER: A D**