

DUMPS ARENA

Portal Developer

Liferay LRP-614

Version Demo

Total Demo Questions: 10

Total Premium Questions: 142

Buy Premium PDF

<https://dumpsarena.com>

sales@dumpsarena.com

dumpsarena.com

QUESTION NO: 1

Tables are created in the database for a Service Builder entity after:

- A. The Ant "build-service" target has run
- B. The portlet is deployed for the first time
- C. The portlet is added to a page for the first time
- D. Tables must be created manually

ANSWER: B

QUESTION NO: 2

The location of the XML file that determines permissions for a portlet plugin is configured by:

- A. The VM argument "resource-actions-configs"
- B. The portlet property "resource.actions.configs"
- C. The init parameter "resource-actions-configs"
- D. A portal property "plugin.resource.actions.configs"

ANSWER: B

QUESTION NO: 3

Service Builder does not generate:

- A. SQL statements to create tables
- B. Hibernate and Spring configuration files
- C. Axis web services
- D. The view layer

ANSWER: D

QUESTION NO: 4

The hooks that can import classes from the plugin class loader are: (Please select all correct answers.)

- A. Auto login hooks
- B. JSP hooks
- C. Service wrapper hooks
- D. Servlet filter hooks
- E. Struts action hooks
- F. Indexer post processor hooks

ANSWER: A C D E F

QUESTION NO: 5

The `permissionChecker.hasPermission()` method requires the following parameters to determine if a user has the permissions to update a resource: (Please select all correct answers.)

- A. Group ID
- B. User ID
- C. Action ID
- D. Company ID
- E. Resource primary key
- F. Resource name

ANSWER: A C E F

QUESTION NO: 6

MVCPortlet directs page flow using:

- A. The `controller()` method
- B. A render parameter called "mvcPath"
- C. A direct link to the JSP with a relative URL
- D. A public render parameter called "path"

ANSWER: B

QUESTION NO: 7

The following classes can be imported when overriding a core JSP using a hook plugin: (Please select all correct answers.)

- A. Classes residing in the global class loader
- B. Classes residing in the portal class loader
- C. Classes residing in the portlet plugin class loader
- D. Classes residing in the hook plugin class loader

ANSWER: A B

QUESTION NO: 8

The recommended way to implement a service wrapper hook that customizes the `authenticateByScreenName()` method of the User service using a class called `com.sample.MyUserLocalServiceImpl` is to: (Please select all correct answers.)

- A. Add the following to `liferay-hook.xml`:

```
com.liferay.portal.service.UserLocalService  
com.sample.MyUserLocalServiceImpl
```

- B. Copy all of the methods from `UserLocalServiceImpl` to `MyUserLocalServiceImpl`
- C. Override the `authenticateByScreenName()` method in `MyUserLocalServiceImpl`
- D. Add the following to `liferay-plugin-package.properties`: `required-deployment-contexts=UserLocalService`
- E. Implement custom logic and call `super.authenticateByScreenNameQ` if applicable

ANSWER: A C E

QUESTION NO: 9

Methods for retrieving the current users ID include: (Please select all correct answers.)

- A. `ThemeDisplay.getUserId()`
- B. `PortalUtil.getUserId(renderRequest)`
- C. `request.getRemoteUser()`
- D. `Liferay.getUserId(renderRequest)`
- E. `Page.getUserId()`

ANSWER: A B C

QUESTION NO: 10

The method to embed a portlet in a layout template is:

- A. `$layout.addPortlet()`
- B. `$processor.processPortlet()`
- C. `$layoutembedPortlet()`
- D. `$layout. process Portlet()`

ANSWER: B

DUMPS ARENA