DUMPS SARENA

ZF-100-500

Zend ZF-100-500

Version Demo

Total Demo Questions: 10

Total Premium Questions: 128

Buy Premium PDF

https://dumpsarena.com

sales@dumpsarena.com

dumpsarena.com



QUESTION NO: 1

Which of the following methods are used by Zend_Controller_Action_Helper_Abstract? Each correct answer represents a complete solution. Choose all that apply.

- A. init()
- B. preDispatch()
- C. setActionController()
- D. getResponseld()

ANSWER: A B C

QUESTION NO: 2

Which function is used to take a locale string as a parameter and set a new locale?

- A. setNewLocale()
- **B.** setLocale()
- C. locale_Set()
- D. newLocale()

ANSWER: B

QUESTION NO: 3

Which of the following statements correctly explain the working of Zend Sera ch Lucene?

Each correct answer represents a complete solution. Choose all that apply.

- A. It supports ranked searching, phrase queries, wildcard queries, and proximity queries.
- **B.** It is a text search engine.
- **C.** It requires the Zend_Db class to connect to a database server.
- **D.** It can also be used to search by any specific field, such as, title, author, etc.

ANSWER: A B D

DUMPS@ARENA

QUESTION NO: 4

Which of the following are the methods that are used by Zend_Controller_Front? Each correct answer represents a complete solution. Choose all that apply.

- A. dispatch()
- B. objectsetControllerDirectory()
- C. getInstance()
- D. controller()

ANSWER: A B C

QUESTION NO: 5

Which one of the following is used to manage the data within a memory -limited environment?

- A. Zend_Memory
- B. Zend_Cache
- C. Zend_Cache_Backend
- D. Zend_Memory_Backend

ANSWER: A

QUESTION NO: 7

You are using a database named SalesDB to keep all sales records. The SalesDB database contains a table named Orders. You are required to create a new t able named OldOrders and transfer all the data from the Orders table to the new table. Which of the following statements will you use to accomplish the task?

- A. IMPORT INTO
- **B. INSERT INTO**
- C. ADD INTO
- D. SELECT INTO

ANSWER: D

QUESTION NO: 8

DUMPSQARENA

| Which of the following functions in SimpleXML can be used to return an iterator containing a list of all subnodes of the current node? |
|--|
| A. asXML() |
| B. attributes() |
| C. getName() |
| D. children() |
| ANOWED, D |
| ANSWER: D |
| |
| QUESTION NO: 9 |
| Which of the following methods are run by the Zend_Controller_Front::run(\$path) method at a time? Each correct answer represents a complete solution. Choose all that apply. |
| A. setControllerDirectory() |
| B. getInstance() |
| C. dispatch() |
| D. setInstance() |
| ANOMED A D O |
| ANSWER: A B C |
| |
| QUESTION NO: 10 |
| Maria writes a query that uses outer join between two tables. Which of the following operators are not allowed in the query? Each correct answer represents a complete solution. Choose two. |
| A. OR |
| B. IN |
| C. = |
| D. AND |
| ANSWER: A B |