# DUMPSSARENA

Implementing Cisco Connected Physical Security 1 Exam (CCPS1)

Cisco 648-238

**Version Demo** 

**Total Demo Questions: 10** 

**Total Premium Questions: 154** 

**Buy Premium PDF** 


https://dumpsarena.com

sales@dumpsarena.com

dumpsarena.com

#### **QUESTION NO: 1**

Refer to the exhibit.



Which three Advanced Event configurations based on the template are valid? (Choose three.)

**A.** Trigger: Motion Started

One-Time Action: Record for Some time

Timeslot: Weekdays Stop after (min): 5 Stream Number: 1

**B.** Trigger: Motion Started One-Time Action: Alert Timeslot: --Any--Stream Number: 1

C. Trigger: Motion Started

One-Time Action: Record for Some time

Timeslot: --Any--Stop after (min): 5 Stream Number: 1

**D.** Trigger: Contact Opened One-Time Action: Aim Camera

Timeslot: --Any--Stream Number: 1

E. Trigger: Contact Opened

One-Time Action: Record for Some time

Timeslot: Nights and Weekends

Stop after (min): 5 Stream Number: 1



#### **ANSWER: A C E**

#### **QUESTION NO: 2**

Which two options are workstation requirements for Cisco VSM 7.x? (Choose two.)

- A. Microsoft Internet Explorer 8 (64-bit)
- B. Microsoft .NET Framework 4.0
- C. Microsoft DirectX 11.0 or higher
- D. Microsoft Windows 7 Enterprise (64-bit)
- E. Microsoft Internet Explorer 8 (32-bit)

#### **ANSWER: B C**

#### **QUESTION NO: 3**

Which product family is a building block for the Cisco Borderless Network Architecture, designed specifically for branch deployments and applications including Cisco Video Surveillance?

- A. Cisco UCS Express and UCS E-Series
- B. Cisco Catalyst 3750-X Series Multi-Layer Switches
- C. Cisco 3800 Unified Access Switches
- D. Cisco Integrated Services Routers Generation 2

#### **ANSWER: D**

#### **QUESTION NO: 4**

In addition to bandwidth, which factors should be considered when designing an IP network capable of delivering high-quality surveillance video in real time?

- A. Minimize jitter and maximize latency
- B. Minimize latency and maximize jitter
- **C.** Minimize both jitter and latency
- D. Maximize both jitter and latency

#### **ANSWER: C**

# **DUMPSQARENA**

**QUESTION NO: 5** 

# QUESTION NO: 7


From which web interface can the Cisco VSMS be upgraded?

- A. VSOM admin pages
- B. VSOM operator pages
- C. VSMC management console page
- D. VSMS BWT pages

## **ANSWER: C**

#### **QUESTION NO: 8**

Refer to the exhibit.



You are the system administrator for a newly deployed Cisco Video Surveillance solution. You want to save time by importing all of the Cisco IP cameras to the system without having to add each camera individually.

Which two options accomplish this? (Choose two.)

- A. Add each camera manually.
- B. Discover New Cameras (auto-discovery).
- C. Medianet auto-configuration.
- **D.** Import cameras from file.
- **E.** Set up a new media server to the deployment on the 192.168.1.x network.

ANSWER: C D

## **QUESTION NO: 9 - (DRAG DROP)**

Select & Place:



You just deployed a virtual, co-located Cisco VSM 7 OVA image and added a 1 TB virtual dis and get the following error message: "The following error occurred while verifying the hardw server"  Place the actions in column A below in the correct order to fix this error.	
Mount partition	Step 1
Create and format partition	Step 2
Create video repository directory	Step 3
Reboot	Step 4
Add fstab entry	Step 5
"chown" partition directory	Step 6

#### **ANSWER:**



Create and format - Step 1, Create Video - Step 2, Add fstab - Step 3, Mount partition - Step 4, chown - Step 5, Reboot - Step 6

## **QUESTION NO: 10**

In the Cisco VSM 6.3.2 solution, VSOM is used for which two of the following functions? (Choose two.)

- A. View live and recorded video
- B. Record video from IP cameras
- C. Upgrade the VSMS
- D. Configure IP cameras, archives, and events
- **E.** Configure storage repositories for the system

Λ	N	CI	۸	/F	D		Λ	
Δ	N	.51	V۱	<i>,</i> –	ĸ	•	Δ	