DUMPS ARENA

Securing Cisco Networks with Sourcefire FireAMP Endpoints

Cisco 500-275

Version Demo

Total Demo Questions: 10

Total Premium Questions: 51

Buy Premium PDF

https://dumpsarena.com

sales@dumpsarena.com

dumpsarena.com

Topic Break Down

Topic	No. of Questions
Topic 1, FireAMP Overview and Architecture	9
Topic 2, Outbreak Control Menu Items	5
Topic 3, Enpoint Policies	5
Topic 4, Groups and Development	6
Topic 5, Analysis and Reporting	10
Topic 6, Private Cloud	5
Topic 7, Accounts	3
Topic 8, FireAMP Connector	3
Topic 9, Console Interface	5
Total	51

QUESTION NO: 1

Which hosts merit special consideration for crafting a policy?

A. end-user hosts

B. domain controllers

C. Linux servers

D. none, because all hosts should get equal consideration

ANSWER: B

QUESTION NO: 2

If a file's SHA-256 hash is sent to the cloud, but the cloud has never seen the hash before, which disposition is returned?

A. Clean

B. Neutral

C. Malware

D. Unavailable

ANSWER: B

QUESTION NO: 3

Incident responders use which policy mode for outbreak control?

A. Audit

B. Protect

C. Triage

D. Emergency

ANSWER: C

QUESTION NO: 4

Which pair represents equivalent processes whose names differ, depending on the connector version that you are running?

A. immunet_protect and iptray

B. agent.exe and sfc.exe

C. TETRA and SPERO

D. ETHOS and SPERO

ANSWER: B

QUESTION NO: 5

What is the default clean disposition cache setting?

A. 3600

B. 604800

C. 10080

D. 1 hour

ANSWER: B

QUESTION NO: 6

What is a valid data source for DFC Windows connector policy configuration?

A. SANS

B. NIST

C. Emerging Threats

D. Custom and Sourcefire

ANSWER: D

QUESTION NO: 7

Which statement describes an advantage of cloud-based detection?

A. Limited customization allows for faster detection.

B. Fewer resources are required on the endpoint.

C. Sandboxing reduces the overall management overhead of the system.

D. High-speed analytical engines on the endpoint limit the amount of work the cloud must perform.

ANSWER: B

QUESTION NO: 8

The FireAMP connector monitors the system for which type of activity?

A. Vulnerabilities

B. Enforcement of usage policies

C. File operations

D. Authentication activity

ANSWER: C

QUESTION NO: 9

For connector-to-FireAMP Private Cloud communication, which port number is used for lower-overhead communication?

A. 22

B. 80

C. 443

D. 32137

ANSWER: D

QUESTION NO: 10

How can customers feed new intelligence such as files and hashes to FireAMP?

A. by uploading it to the FTP server

B. from the connector

C. through the management console

D. by sending it via email

ANSWER: C