DUMPSSARENA

Huawei Certified Pre-sales Specialist - IP Network (Datacom)

Huawei H19-301

Version Demo

Total Demo Questions: 10

Total Premium Questions: 110

Buy Premium PDF

https://dumpsarena.com

sales@dumpsarena.com

dumpsarena.com



| QUESTION NO: 1 |
|---|
| Which O&M methods are supported by AR G3 routers? (Choose all that apply.) |
| A. USB-based batch deployment |
| B. Web GUI |
| C. Command Line Interface (CLI) |
| D. SNMP management |
| |
| ANSWER: B C D |
| |
| QUESTION NO: 2 |
| CloudFabric provides an intent-driven network and can verify some configurations. |
| A. True |
| B. False |
| |
| ANSWER: A |
| |
| QUESTION NO: 3 |
| Which are key reliability technologies of AR G3 routers? (Choose all that apply.) |
| A. Hot-swappable cards |
| B. Power module redundancy |
| C. SRU redundancy |
| D. Non-stop forwarding (NSF) |
| |
| ANSWER: A B C |

QUESTION NO: 4

Which of the following APs support smart antennas? (Choose all that apply.)

DUMPSQARENA

| A . AP4050DE-M |
|--|
| B. AP7060DN |
| C. AP6150DN |
| D . AP2051DN |
| |
| ANSWER: A D |
| |
| QUESTION NO: 5 |
| Agile Controller-DCN can interconnect with these mainstream cloud platforms: OpenStack, FusionSphere, Red Hat, and Mirantis. |
| A. True |
| B. False |
| |
| ANSWER: A |
| |
| QUESTION NO: 6 |
| Which of the following highlights does not apply to the NE08E-S6/S6E? |
| A. Large capacity |
| B. Highest density in the industry |
| C. High reliability |
| D. Dual-CXP |
| |
| ANSWER: D |
| |
| QUESTION NO: 7 |
| What O&M features does NE40E series support? (Choose all that apply.) |
| A. BFD |
| B. CFM |
| C. Y.1731 |
| |
| |

DUMPSQARENA

| D. EFM |
|--|
| |
| ANSWER: B C D |
| |
| QUESTION NO: 8 |
| To decrease the initial investment, NE routers introduce CM new business model. |
| A. True |
| B. False |
| |
| ANSWER: A |
| |
| QUESTION NO: 9 |
| Which of the following statements is incorrect about the features of CloudEngine S12700E? |
| A. A CloudEngine S12700E can manage up to 10K APs |
| B. A CloudEngine S12700E can manage up to 50K terminals |
| C. CloudEngine S12700E supports PoE |
| D. CloudEngine S12700E supports single-slot forwarding performance of 4.8 Tbit/s (bidirectional) |
| |
| ANSWER: C |
| |
| QUESTION NO: 10 |
| What are the core algorithms supported by Al Fabric? (Choose all that apply.) |
| A. Fast ECN |
| B. Fast CNP |
| C. Dynamic ECN |
| D. VIQ |
| E. DLB |
| |
| ANSWER: A B C D E |
| |