DUMPS SARENA

NCSS SDM ONE NDS OaM-TSH-16.0

Nokia NCM 20002021610

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

https://dumpsarena.com

sales@dumpsarena.com

dumpsarena.com

QUESTION NO: 1
Segmented routing layer can be deployed on which of the following HW types?
A. HP Gen 8 and Gen 9.
B. Oralce X4250 & x4270.
C. The feature is HW independent
D. IBM Blades.
ANOMED
ANSWER: A
QUESTION NO: 2
How do we manage LDAP users in the OneNDS?
A. LDAP users can be managed via 'LDAP user management' section of ADM GUI.
B. LDAP users are managed on the Install server and distributed to all the nodes from there.
C. Via the P6W GUI.
D. LDAP users are managed only via the AEP packages.
ANSWER: C
QUESTION NO: 3
A special search property that allows the Idap user to retrieve large number of objects from the database without impacting the normal functioning of the DS is called:
A. Stream search.
B. Proxy search using 16680 port.
C. safeorg.
D. Safe search.
ANSWER: B
QUESTION NO: 4

DUMPSQARENA

What is a hanging reference?

- **A.** A situation where a particular DN is present on two BEDSAs.
- **B.** A situation where the IMSI/MSISDN alias of a subscriber exists but the actual subscriber data is missing.
- C. situation where a reference to DN exists in the RDSA, but the DN itself is missing in the BEDSA.
- **D.** A situation where a DN is present in the BEDSA but missing in the RDSA.

ANSWER: A

QUESTION NO: 5

What is changeover in NDS terms?

- **A.** It is the concept of switching over the LDAP connections from one DS node to another.
- **B.** It is the concept of making the Primary standby node as the primary.
- **C.** It is the concept of swapping the old outdated hardware to a new one.
- **D.** The concept of updating the software version if the NDS, thus causing a change.

ANSWER: C

QUESTION NO: 6

What is the maximum Number of DSA nodes that can be addressed by the ADM?

- **A.** 64BE-DSA + 1 R-DS
- **B.** 59 BE-DSA + 1 PG-DSA.
- C. 59 BE-DSA + 1 R-DSA.
- **D.** 64 BE-DSA + 1 PG-DSA + 1 R-DSA.

ANSWER: D

QUESTION NO: 7

OneND516 Skip upgrade refers to which of the below statements?

- A. Upgrade from OneNDS 9 SP2 to OneNDS 16.
- B. Upgrade from OneNDS 8 MP8 to OneNDS 16.
- C. Upgrade from OneNDS 9 Base to OneNDS 16.



ANSWER: B

D. Upgrade from OneNDS 8 MP7 to OneNDS 16.
ANSWER: B
QUESTION NO: 8
Where can you get all the SPML requests that were executed on the PGW?
A. All the requests executed will be stored in the directory /opt/provgw/tomcat/instanceX/logs/command_logs/, with X= 1,2,3 being the instance number.
B. All the requests which PGW executes are stored by PGW onto the ADM.
C. PGW stores such a list in its database, which can be later queried based on the IMSI number.
D. PGW does not store such a list and it is the responsibility of Provisioning client to store such information.
ANSWER: A
QUESTION NO: 9
Which of the following can NOT be achieved through AEP fallback?
A. PGW modules like AM,AS,AS_OAM etc.
B. Trigger packages and unified PC.
C. Data model packages.
D. PGW configuration data fallback.
ANSWER: D
QUESTION NO: 10
A batch request consists of many sub-requests. What is the maximum numbers of sub-requests possible in a batch request?
A. There is no limitation.
B. 50,000.
C. 50,000 if batch request is executed over sftp interface. 20 when batch request is executed over SOAP interface.
D. 500.