

# DUMPS ARENA

## CA Unified Infrastructure Management 8.x Professional

CA Technologies CAT-540

Version Demo

Total Demo Questions: 5

Total Premium Questions: 40

Buy Premium PDF

<https://dumpsarena.com>

[sales@dumpsarena.com](mailto:sales@dumpsarena.com)

dumpsarena.com

**QUESTION NO: 1**

You create an account for ClientA with ownership limited to the corresponding origin, and you add Bruce Adams as a contact for the account.

You assign a ClientAOperator access control list (copied from the Operator ACL) to Bruce. When Bruce logs in to the UMP for the first time:

- A.** he will receive an error message if he attempts to access Performance Reports Designer (PRD).
- B.** he will be prompted to create his first custom dashboard.
- C.** he will be prompted to select which elements will appear in the tree view.
- D.** he will only be able to view machines with an origin of ClientA.

**ANSWER: B****QUESTION NO: 2**

In CA UIM 8.5.1, which probes are covered by Monitoring Configuration Service (MCS) templates? (Choose three.)

- A.** snmpcollector
- B.** vmware
- C.** vmax
- D.** cdm and ntevl
- E.** dirscan

**ANSWER: B D E****QUESTION NO: 3**

Which CA UIM Alarm Server (NAS) feature can be enabled automatically on a secondary NAS during HA failover?

- A.** Bidirectional forwarding
- B.** NiS bridge
- C.** Auto-Operator (AO)

D. Pre-processing rule enablement

**ANSWER: C**

#### QUESTION NO: 4

You need to define a proxy connection between an Apache server and a UMP server when you:

- A. use sticky sessions in a load-balancing configuration.
- B. set up access to the UMP through a DMZ.
- C. configure the UMP to use SSL communication exclusively.
- D. implement multiple UMP servers.

**ANSWER: B**

#### Explanation:

Reference: <https://comm.support.cA.com/kb/how-to-setup-access-to-ump-in-the-dmz-using-apache-httpserver-as-a-proxy/kb000033967>

#### QUESTION NO: 5

You can save time during robot deployment by using an answer file, which can be used with the CA UIM native installer or third-party tools.

Which variables are REQUIRED in the answer file? (Choose four.)

- A. domain
- B. hubip
- C. robotip
- D. hubrobotname
- E. hub

**ANSWER: A B D E**

#### Explanation:

Reference: <https://docops.cA.com/ca-unified-infrastructure-management/8-5-1/en/installing-ca-uim/deployrobots/deploy-robots-in-bulk-with-a-third-party-tool-and-native-installers>