Avaya Aura Call Center Elite Support Exam

<u>Avaya 7492X</u>

Version Demo

Total Demo Questions: 10

Total Premium Questions: 85 Buy Premium PDF

> https://dumpsarena.com sales@dumpsarena.com

dumpsarena.com



QUESTION NO: 1

A customer with multiple locations wants to effectively balance the call load among agents at the various sites. Which call center feature can provide this capability?

- **A.** Business Advocate (BA)
- B. Best Service Routing (BSR)
- C. Network Call Redirection (NCR)
- D. Least Occupied Agent (LOA)

ANSWER: B

QUESTION NO: 2

What are the three considerationrequirements for the deployment of Network Call Deflection? (Choose

A. The second leg of the call is set up by the redirecting Communication Manager.

B. Network Call Deflectionisonly available In Europeand must be compliant with ETSI Supplementary Service Network Call Deflection.

C. Announcement, collect digits, converse-on, wait for hearing music, wait for the hearingannouncement, ringback, or silencecannot be used for NCD.

D. NCD by the PSTN can occur only if the incoming call to the Avaya AuraCommunication Manager is not answered.

E. A route-to number r 13035485103 must be used in vector stepprocessingand Net Redir=yin theBSR Application plan.

ANSWER: A D E

QUESTION NO: 3

Installing WebLM requires that steps should be performed in a particular order.

Which order should you use to install and configure WebLM on your Call Center Elite Multichannel Server?

A. It does not matter what order you install the applications in, as long as WebLM is at the end

B. Install Java, set JAVA_HOME environment variable, install Tomcat, and set the PATH environment variable

C. Install WebLM, install Tomcat, set JAVA_HOME and PATH environment variables

D. Install Tomcat, install Java, install WebLM, and then configure the PATH, JAVA_HOME environment variables

ANSWER: C

QUESTION NO: 4

A customer uses the quick installer to install the core applications for their Call Center Elite Multichannel system.

Which three core server applications require manual configuration during the installation process? (Choose

three.)

- A. Media Director
- B. Call Routing Server
- C. Interaction Data Server
- D. Web Chat for IIS
- E. Email Media Store

ANSWER: A B C

QUESTION NO: 5

What are thethree key differences between Enhanced look Ahead Interflow(FLAI) and traditional LAI? (Choose three.)

- A. The ELAI uses the interflow-qposvector command.
- B. The Call Center calls must be queued to first in LLAI.
- C. The ELAI uses route-to number ~r 13035485103.
- **D.** The ELAI Is near first-in-first-out routing.
- E. The value of the Interflow-qpos can be set as <=12.

ANSWER: C D E

QUESTION NO: 6

Refer to the exhibit.



Prnmsry Incconing VDN/Vector

VECTOR DIRECTORS NUMBER

Interflow VDN/Vector:

VECTOR DIRECTORY NUMBER

Extension: 7202

Name*: High Rollers

Destination: Vector Number 1997

Attendant Vectoring? n

Meet-me Conferencing? n

Allow VDN Override? n

COR: 1

CALL VECTOR

```
TN*: 1
```

Measured: none

Service objective (sec): 20 VDN of Origin Annc. Extension*:

1st Skill*: 1

change vector 1997

Page 1 of 0

Number: 1997	Name: High Rollers
01 wait-time	0 secs hearing music
02 queue-to	skill 1st pri h
03 announcement	8613
04 wait-time	30 secs hearing music
05 goto step	3 if unconditionally

Interflow VDN/Vector:

VECTOR DIRECTORY NUMBER

Extension: 7202

Name*: High Rollers

Destination: Vector Number 1997

Attendant Vectoring? n

Meet-me Conferencing? n

Allow VDN Override? n

COR: 1

ALL VECTOR

```
TN*: 1
```

Measured: none

Service objective (sec): 20 VDN of Origin Annc. Extension*:

1st Skill*: 1

change vector 1997

Page 1 of 6

Number: 1997	Name: High Rollers
01 wait-time	0 secs hearing music
02 queue-to	skill 1st pri h
03 announcement	8613
04 wait-time	30 secs hearing music
05 goto step	3 if unconditionally
Rentals Vector Number	

Name': ABC

Interflow VDN/Vector:

VECTOR DIRECTORY NUMBER

Extension: 7202

Name*: High Rollers

Destination: Vector Number 1997

Attendant Vectoring? n

Meet-me Conferencing? n

Allow VDN Override? n

COR: 1

```
TN*: 1
```

Measured: none

Service objective (sec): 20 VDN of Origin Annc. Extension*:

1st Skill*: 1

change vector 1997

Page 1 of 6

CALL VECTOR

Number: 1997 Name: High Rollers

01 wait-time 0 secs hearing music

02 queue-to skill 1st pri h

03 announcement 8613

04 wait-time 30 secs hearing music

05 goto step 3 if unconditionally

CALL VECTOR						
Number:	1996	Name: V	Variable A			
Multimedia?	n Attendant	Vectorin	g? n Meet-me Co	onf? n Loo	ck? n	
Basic? Routing? y	y EAS? y G3	V4 Enhan	ced? y ANI/II-I)igits? y	ASAI	
Prompting?	y LAI? y G3	V4 Adv R	oute? y CINFO?	y BSR? y	Holida	ays? y
Variables?	y 3.0 Enhanc	ed? y				
01 set	A	= в	CATL 9432			
		VARIABLE	S FOR VECTORS			
Var Descrip	otion Type	Scope	Length Start	Assig	nment	VAC
A XYZ	collect		L	4		3
B ABC	collect		G	5	1	87654 Meet-me
Allow VDN Overrid	le? Y					
COR: I						
Measured: intorual						
Acceptable Rervice	e Level (sec): 20					
Service Objective	(sec): 20					
Allow VDN Override? Y						

CALL VECTOR					
Number:	1996 Na	ame: Variable A			
Multimedia?	n Attendant Vec	toring? n Meet-me C	onf? n Lock?	n	
Basic? Routing? y	y EAS? y G3V4	Enhanced? y ANI/II-	Digits? y ASA	I	
Prompting?	y LAI? y G3V4	Adv Route? y CINFO?	y BSR? y Ho	lidays? y	
Variables?	y 3.0 Enhanced	?у О.У.			
01 set	A =	B CATL 9432			
	VAP	RIABLES FOR VECTORS			
Var Descrip	tion Type So	cope Length Start	Assignmen	t VAC	
A XYZ	collect	L	4	3	
B ABC	collect	G	5	1 87654 VDN Ori	gin Annc.
1• 9kill*: 10					
CALL VECTOR					
Number: 1998 Nam	ie: ABC Rental				
01 wait-time secs h	earing music				

Interflow VDN/Vector:

ECTOR DIRECTORY NUMBER

Extension: 7202

Name*: High Rollers

Destination: Vector Number 1997

Attendant Vectoring? n

Meet-me Conferencing? n

Allow VDN Override? n

COR: 1

```
TN*: 1
```

ALL

Measured: none

VECTOR

Service objective (sec): 20 VDN of Origin Annc. Extension*:

1st Skill*: 1

change vector 1997

Page 1 of (

Number: 1997	Name: High Rollers
01 wait-time	0 secs hearing music
02 queue-to	skill 1st pri h
03 announcement	8613
04 wait-time	30 secs hearing music
05 goto step	3 if unconditionally

02 step B

if ani

in 'table 1 (a match is 03 skill 1" pri 1 04 announcement 8613 405 wait-time 90 secs hearing music 06

07 stop

step

if unconditionally

08 number 7202

09

with cov n if unconditionally

Interflow VDN/Vector:

ECTOR DIRECTORY NUMBER

Extension: 7202

Name*: High Rollers

Destination: Vector Number 1997

Attendant Vectoring? n

Meet-me Conferencing? n

Allow VDN Override? n

```
COR: 1
```

```
TN*: 1
```

CALL

Measured: none

VECTOR

Service objective (sec): 20

VDN of Origin Annc. Extension*:

1st Skill*: 1

change vector 1997

Page 1 of 6

Number: 1997	Name: High Rollers
01 wait-time	0 secs hearing music
02 queue-to	skill 1st pri h
03 announcement	8613
04 wait-time	30 secs hearing music
05 goto step	3 if unconditionally

A call center administrator has devised a way to provide special treatment for high profile customers, by filtering these agent's Automatic Number Identification (ANI) using a vector routing table, and interflowing these calls to be queued at a higher priority. Unfortunately, after the new VDN/vector steps were implemented, those customers are queuing to the incorrect group of agents.



What would be the reason for this?

- A. VDN Override on VDN 7202 is set to no
- B. VDN Override on VDN 7201 is set to yes
- C. The caller has blocked his calling party number, a match cannot be found, and call processing for this call will cease
- D. No agents are staffed in skill 1

ANSWER: A

QUESTION NO: 7

There are four main components of the Call Center Elite Multichannel configuration.

Which list contains all of the main components?

- A. Avaya Aura® System Manager, Multichannel XML Server, Multichannel Desktop Client, Core Server
- B. Avaya Aura® Session Manager, Multichannel XML Server, Multichannel Desktop Client, Core Server

C. Avaya Aura® Communication Manager, Avaya Aura® Session Manager, Multichannel XML Server, Multichannel Desktop Client

D. Avaya Aura® Communication Manager, Multimedia Database, Multichannel XML Server, Multichannel Desktop Client

ANSWER: D

QUESTION NO: 8

Refer to the exhibit.

hange best-service-				e 1 of 18
	BEST 31	ERVICE ROUDERS ARE	LICATION	
Number: 1 Name:	BSR Anchicat:	on Maximum Supp	ression Times 10	Locks z
	0 10 10	a The Sha	1 7	12
un Location Name	Switch Node	the second s	Interflow VDM	Net Realy
Denver	0, <u>2, 6</u>	6090	60910	<u>s</u> 2
Ó.	VIA TOR VI	10 10	0 2 20	
A 9	A 12 74	S	A 4 10	
	7. 5 C.		2 3 5	
	· ~ 3 - 7 - 3 - 7	0		
	a the la	2	VA TON TA	
- 4. TA.	VA VA	- C.	TA ST VA	
	· · · · · ·	0.2	176 10 10	
0. 40. 0			0-10-00-	
N 44 13 14	· · · · · · · · · · · · · · · · · · ·	- 13 VA 13-	VA 9	
2 7. 9. 0		2000 000 000	- C. V	
- 77 - 1 M	-c		Re la	- 9.
CARLES THE PARTY OF	No. of Concession, Name	NAME OF TAXABLE PARTY OF TAXABLE PARTY.	A REAL PROPERTY AND ADDRESS OF TAXABLE PARTY.	and the second second


What are three reasons for turning on "Net Redir" = y? (Choose three.)

- A. Network Call Deflection does not use ISDN messaging.
- B. It supports route-to number~rl23658888.
- C. It increases trunk usage and costs.
- D. It supports Network Call Transfer.
- E. It decreases trunk usage and costs.

ANSWER: C D E

QUESTION NO: 9

Refer to the exhibit.



The reply-best vector command is applied to which BSR VDN/Vector?



- A. Status Poll Vector
- B. Primary Vector
- $\textbf{C}. \ \text{Interflow vector}$
- D. Adjunct Vector

ANSWER: B

QUESTION NO: 10

Whatate threemajor benefits of SLM with EAS? (Choose three.)

- A. Can incorporate Business Advocate as an additional feature
- B. Less average delay to answer
- C. Greater control over providing differentiated service
- **D.** Redundant network coverage
- E. Autopilot capability

ANSWER: A B D