

DUMPS ARENA

**OMG Certified UML Professional (OCUP 2) -
Intermediate Level**

OMG OMG-OCUP2-INT200

Version Demo

Total Demo Questions: 10

Total Premium Questions: 133

Buy Premium PDF


<https://dumpsarena.com>

sales@dumpsarena.com

dumpsarena.com

QUESTION NO: 1

In the exhibit, if all incoming arrows provide the same value, how many values does the pin have?



- A. three.
- B. two
- C. one
- D. none

ANSWER: A**QUESTION NO: 2**

What are the kinds of structured nodes? (Choose two.)

- A. partition
- B. object node
- C. loop
- D. action
- E. conditional

ANSWER: C E**QUESTION NO: 3**

What is NOT true of a CreateObjectAction? (Choose two.)

- A. output pin has multiplicity [1..*]
- B. classifier cannot be an association class
- C. output pin has multiplicity [1..1]
- D. classifier must be abstract
- E. classifier cannot be abstract
- F. type of the output pin is the classifier

ANSWER: A D

QUESTION NO: 4


What does a structured node contain? (Choose two.)

- A. messages
- B. edges
- C. classes
- D. nodes
- E. lifelines
- F. States

ANSWER: B D

QUESTION NO: 5

What symbol depicts a Call Behavior Action?



- A. A

- B. B**
- C. C**
- D. D**
- E. E**

ANSWER: E

QUESTION NO: 6


What is correct about a profile? (Choose two.)

- A. is applied to a package**
- B. cannot be used without its reference model**
- C. can dynamically change its reference metamodel**
- D. is applied to a reference metamodel**

ANSWER: A B

QUESTION NO: 7

Which figures are correct models for extension and generalization/specialization? (Choose three.)



- A. A
- B. B
- C. C
- D. D
- E. E
- F. F
- G. G

ANSWER: A D E

QUESTION NO: 8

What must be true for a connector to be well formed if a delegation connector delegates to more than one target port?

- A. The interfaces of the target ports must have no features in common.
- B. The interface of at least one of the target ports must be signature compatible with the interface that is the type of the source port.
- C. The interface of each of the target ports must be signature compatible with the interface that is the type of the source port.
- D. The union of the interfaces of the target ports must be signature compatible with the interface that is the type of the source port.

ANSWER: D

QUESTION NO: 9

When an object invokes a ReadSelfAction, what will it retrieve?

- A. attribute values for the invoking object
- B. invoking object
- C. attribute values and links for the invoking object
- D. class name of the invoking object
- E. name of the invoking activity

ANSWER: D

QUESTION NO: 10

In UML, what kind of behaviors are state machines used to describe?

- A. software based
- B. continuous
- C. continuous or discrete
- D. discrete

ANSWER: D