

DUMPS ARENA

XtremIO Solutions Specialist Exam for Implementation Engineers

EMC E20-368

Version Demo

Total Demo Questions: 10

Total Premium Questions: 110

Buy Premium PDF

<https://dumpsarena.com>

sales@dumpsarena.com

dumpsarena.com

QUESTION NO: 1

How many InfiniBand switches are needed in a single X-Brick configuration?

- A. 0
- B. 1
- C. 2
- D. 4

ANSWER: A

QUESTION NO: 2

Which NMP policy is recommended for XtremIO volumes assigned to VMware hosts?

- A. Round Robin
- B. Most Recently Used
- C. Fixed Path
- D. Least Recently Used

ANSWER: C

QUESTION NO: 3

Which XtremIO component provides management for an X-Brick cluster?

- A. XMS
- B. Storage Controller
- C. XIOS
- D. InfiniBand Switch

ANSWER: D

QUESTION NO: 4

How many PDP and PDU are in one EMC factory 44U rack?

- A. 2 PDP; 2 PDU
- B. 4 PDP; 4 PDU
- C. 6 PDP; 6 PDU
- D. 8 PDP; 8 PDU

ANSWER: B

QUESTION NO: 5

What methods are available to replicate XtremIO volumes to XtremIO or non-XtremIO arrays?

- A. RecoverPoint for VM with XtremIO RecoverPoint with XtremIO RecoverPoint and VPLEX with XtremIO
- B. RecoverPoint with XtremIO RecoverPoint for VM with XtremIO RecoverPoint/CL
- C. RecoverPoint and VPLEX with XtremIO RecoverPoint for VM with XtremIO RecoverPoint/SE
- D. RecoverPoint with XtremIO RecoverPoint/SE RecoverPoint/CL

ANSWER: A

QUESTION NO: 6

What are the three most active components measured in the Performance pane in the XtremIO GUI?

- A. Volumes, Initiator Groups, and Block Size
- B. Initiator Groups, iSCSI Bandwidth, and Block Size
- C. iSCSI Bandwidth, FC Bandwidth, and Volumes Space
- D. FC Bandwidth, Block Size, and Volumes Space

ANSWER: A

QUESTION NO: 7

EMC installed a 4 X-Brick cluster in a customer's Data Center.

How many PDPs need to be connected to an electricity source in order to adequately supply power to all PDUs of this cluster?

- A. 2
- B. 4
- C. 6
- D. 8

ANSWER: A

QUESTION NO: 8

After successfully configuring a remote connectivity solution between the customer's XMS and their email server, the customer asks you to validate that the Connect-Home files are being sent successfully to EMC's business systems for processing.


Which XMCLI command should you use to complete this task?

- A. send-syr-notification test-event
- B. send-email-notification test-event
- C. send-smtp-notification test-event
- D. test-xms-tcp-connectivity

ANSWER: A

QUESTION NO: 9

Refer to the exhibit.



Which ports are used for external iSCSI connections?

- A. A1 and A2
- B. B1 and B2
- C. C1 and C2
- D. D1 and D2

ANSWER: A

QUESTION NO: 10

What are the four severity levels that can be displayed with the alert details?

- A. Informational, minor, major, and critical
- B. Informational, warning, error, and critical
- C. Notice, warning, alert, and error
- D. Warning, error, critical, and alert

ANSWER: A