# DUMPSSARENA

Security-Specialist (JNCIS-SEC)

Juniper JN0-334

**Version Demo** 

**Total Demo Questions: 10** 

**Total Premium Questions: 91** 

**Buy Premium PDF** 

https://dumpsarena.com

sales@dumpsarena.com

dumpsarena.com



QUESTION NO: 1
Which feature is used when you want to permit traffic on an SRX Series device only at specific times?
A. scheduler
B. pass-through authentication
C. ALGs
D. counters
ANSWER: A
QUESTION NO: 2
Which statement describes the AppTrack module in AppSecure?
<b>A.</b> The AppTrack module provides enforcement with the ability to block traffic, based on specific applications.
<b>B.</b> The AppTrack module provides control by the routing of traffic, based on the application.
C. The AppTrack module identifies the applications that are present in network traffic.
<b>D.</b> The AppTrack module provides visibility and volumetric reporting of application usage on the network.
ANSWER: C
QUESTION NO: 3
Which two statements apply to policy scheduling? (Choose two.)
A. A policy refers to many schedules.
<b>B.</b> A policy refers to one schedule.
C. Multiple policies can refer to the same schedule.
<b>D.</b> A policy stays active regardless of when the schedule is active.
ANSWER: B C
Explanation:

# **DUMPSQARENA**

Reference: https://www.juniper.net/documentation/en\_US/cso5.4.0/topics/concept/cp-about-schedule-overview.html

# **QUESTION NO: 4**

You want to support reth LAG interfaces on a chassis cluster.

What must be enabled on the interconnecting switch to accomplish this task?

- A. RSTP
- **B.** 802.3ad
- C. LLDP
- D. swfab

# **ANSWER: B**

# **Explanation:**

Reference: https://www.juniper.net/documentation/en\_US/junos/topics/topic-map/security-chassis-cluster-redundant-ethernet-lag-interfaces.html

# **QUESTION NO: 5**

You must deploy AppSecure in your network to block risky applications.

In this scenario, which two AppSecure features are required? (Choose two.)

- A. AppFW
- B. AppID
- C. APBR
- D. AppTrack

#### ANSWER: B D


# **QUESTION NO: 6**

You are configuring a client-protection SSL proxy profile.

Which statement is correct in this scenario?

- A. A server certificate is not used but a root certificate authority is used.
- **B.** A server certificate and root certificate authority are not used.

# **DUMPSQARENA**



# **QUESTION NO: 9**

Which statement is true about JATP incidents?

- A. Incidents have an associated threat number assigned to them.
- **B.** Incidents are sorted by category, followed by severity.



- **C.** Incidents consist of all the events associated with a single threat.
- **D.** Incidents are always automatically mitigated.

**ANSWER: C** 

# **QUESTION NO: 10**

Which two statements describe JSA? (Choose two.)

- **A.** Security Director must be used to view third-party events rom JSA flow collectors.
- B. JSA supports events and flows from Junos devices, including third-party devices.
- C. JSA events must be manually imported into Security Directory using an SSH connection.
- D. JSA can be used as a log node with Security Director or as a standalone solution.

**ANSWER: B D**