

# DUMPS ARENA

**Specialist : Systems Administrator -  
PowerProtect DD Exam**

**EMC DES-DD33**

**Version Demo**

**Total Demo Questions: 7**

**Total Premium Questions: 54**

**Buy Premium PDF**

**<https://dumpsarena.com>**

**[sales@dumpsarena.com](mailto:sales@dumpsarena.com)**

**dumpsarena.com**

**QUESTION NO: 1**

When using the DD VTL Tape Out to Cloud feature, which status will a tape show once it is in the cloud tier vault?

- A. Vaulted
- B. Archived
- C. Offline
- D. Offsite

**ANSWER: B**

**QUESTION NO: 2 - (DRAG DROP)**

DRAG DROP

What is the correct sequence of steps to configure storage for Dell EMC Cloud Tier in the DD System Manager?

**Select and Place:**

Click "Configure" in the Cloud Tier section	<b>STEP 1</b>
Click "Add to Tier"	<b>STEP 2</b>
Select "Storage" under the Hardware tab	<b>STEP 3</b>
Under "Addable Storage", select the checkbox for the shelf to add	<b>STEP 4</b>

**ANSWER:**

**Explanation:**

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95865.pdf>

**QUESTION NO: 3**

A backup administrator needs to implement BoostFS for Windows.

What do they need to install on the Windows server? (Choose all that apply.)

- A. CBFS
- B. CIFS
- C. NFS
- D. FUSE

**ANSWER: B C****Explanation:**

For CIFS/NFS/DD BoostFS, the first consideration to address is what level of CIFS, NFS and DD BoostFS sharing is wanted for the DD series appliances.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/s-2416-dell-emc-powerprotect-dd-series-appliances-with-commvault-configuration-guide.pdf>

**QUESTION NO: 4**

Which protocol is used with Dell EMC Cloud Tier to transfer data between a PowerProtect DD appliance and the cloud?

- A. FTP
- B. SFTP
- C. HTTPS

D. NFS

**ANSWER: D**

**Explanation:**

A DD series appliance at a Faction data center can be used as single backup target to protect workloads across multiple clouds. Using DD Boost, CIFS, and NFS protocols.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/industry-market/h18759-multi-cloud-data-services-for-dell-emc-powerprotect.pdf>

**QUESTION NO: 5**

A PowerProtect DD system is configured for VTL. The backup application requires a minimum tape capacity of 800 GiB.

What is the minimum tape type to support this requirement?

- A. LTO-3
- B. LTO-2
- C. LTO-5
- D. LTO-4

**ANSWER: D**

**Explanation:**

Reference: <https://www.ibm.com/docs/en/ts4500-tape-library?topic=cartridges-capacity-supported-lto-tape>

**QUESTION NO: 6**

What are some possible network bottlenecks for a PowerProtect DD?

- A. Configuration, wire speeds, switches and routers
- B. Connectivity, firewalls, and routing protocols
- C. Connectivity, routing protocols, and configuration
- D. Routing protocols, switches and routers, and wire speeds

**ANSWER: A**

**QUESTION NO: 7**

When should using Virtual Synthetic backups be considered?

- A. Daily incremental backups are larger than 15% of a normal full backup
- B. PowerProtect DD appliance has more than 10 disks
- C. Backups are nonfile system data such as databases
- D. Backups are large and localized

**ANSWER: A**

DUMPSARENA