

DUMPS ARENA

Informix 11.70 Fundamentals

IBM C2090-558

Version Demo

Total Demo Questions: 10

Total Premium Questions: 120

Buy Premium PDF

<https://dumpsarena.com>

sales@dumpsarena.com

dumpsarena.com

Topic Break Down

Topic	No. of Questions
Topic 1, Volume A	59
Topic 2, Volume B	61
Total	120

QUESTION NO: 1

Click the Exhibit button.

```
CREATE TABLE course (  
  course_num CHAR(5),  
  course_name CHAR(30),  
  dept_code CHAR(3),  
    
);  
CREATE TABLE class (  
  class_id CHAR(6),  
  course_num CHAR(5),  
  instr_code CHAR(4),  
  class_time DATETIME(DAY TO MINUTE),  
  class_loc CHAR(15),  
    
);
```

The tables shown in the exhibit have been created for a class enrollment system where a course can be assigned to many classes. The class table joins to the course table on the course_num columns. Which two of the following SQL statements are required to establish a referential integrity relationship between these tables? (Choose two.)

- A. ALTER TABLE class ADD CONSTRAINT (PRIMARY KEY (class_id));
- B. ALTER TABLE class ADD CONSTRAINT (PRIMARY KEY (course_num));
- C. ALTER TABLE course ADD CONSTRAINT (PRIMARY KEY (course_num));
- D. ALTER TABLE class ADD CONSTRAINT (FOREIGN KEY (course_num) REFERENCES course);
- E. ALTER TABLE course ADD CONSTRAINT (FOREIGN KEY (course_num) REFERENCES class);

ANSWER: C D

QUESTION NO: 2

Given INFORMIXCONTIME = 60 and INFORMIXCONRETRY = 3, if the initial connection attempt fails, what subsequent attempts will be made to connect?

- A. 60 and 120 seconds before aborting
- B. Every 3 minutes within one hour before aborting
- C. Every 3 seconds within one hour before aborting
- D. Wait indefinitely until it is successfully completed

ANSWER: A**QUESTION NO: 3**

In what way is Enterprise Replication (ER) replication different from High-Availability Cluster (HAC) replication?

- A. All data types are replicated.
- B. The data to be replicated is defined at an instance level of granularity.
- C. The data to be replicated can be defined at a column level of granularity.
- D. The data to be replicated can not include simple blobs stored in simple blobspaces.

ANSWER: C**QUESTION NO: 4**

Which two statements cause Stored Procedure Language (SPL) routine optimization? (Choose two.)

- A. CALL PROCEDURE
- B. CREATE PROCEDURE
- C. OPTIMIZE PROCEDURE
- D. EXECUTE PROCEDURE
- E. UPDATE STATISTICS FOR PROCEDURE

ANSWER: B E**QUESTION NO: 5**

Click the Exhibit button.

Evaluation only.
 Created with Aspose.Imaging.
 Copyright 2010-2019 Aspose Pty Ltd.

	fname	lname
101	Ludwig	Pauli
102	Carole	Sadler
103	Philip	Currie
104	Anthony	Higgins
105	Raymond	Vector
106	George	Watson
107	Charles	Ream
108	Donald	Quinn
109	Jane	Miller

orders table

order_num	order_date	customer_num
1001	05/20/2010	104
1002	05/21/2010	101
1003	05/22/2010	104
1004	05/22/2010	106
1005	05/24/2010	116
1006	05/30/2010	112
1007	05/31/2010	117
1008	06/07/2010	110
1009	06/14/2010	111
1010	06/17/2010	115
1011	06/18/2010	104
1012	06/18/2010	117
1013	06/22/2010	104
1014	06/25/2010	106
1023	07/24/2010	127

SQL Statement

The SQL statement has the customer table first and orders second in the FROM clause.

Query Result

customer_num	fname	lname	order_num
101	Ludwig	Pauli	1002
102	Carole	Sadler	
103	Philip	Currie	
104	Anthony	Higgins	1001
104	Anthony	Higgins	1003
104	Anthony	Higgins	1011

Evaluation only. Created with Aspose.Imaging. Copyright 2010-2019 Aspose Pty Ltd.			Higgins	1003
			Higgins	1011
06/18/2010			Higgins	1013
104 Anthony			Vector	
06/22/2010			Watson	1004
105 Raymond			Watson	1014
106 George			Ream	
05/22/2010			Quinn	
106 George			Miller	
06/25/2010				
107 Charles				
108 Donald				
109 Jane				

Which of the following will display the values in the lead_time column from highest to lowest?

- A. SELECT * FROM manufact ORDER BY lead_time
- B. SELECT * FROM manufact ORDER BY lead_time ASC
- C. SELECT * FROM manufact ORDER BY lead_time HIGH
- D. SELECT * FROM manufact ORDER BY lead_time DESC

ANSWER: D

QUESTION NO: 6

When you execute an INSERT statement, the database server will insert a NULL value into any column that meets which two conditions? (Choose two.)

- A. Columns that are used in indexes.
- B. Columns that are used in constraints.
- C. You provide no value for a specific column.
- D. Where a zero is specified in the VALUES clause of a serial column.
- E. Where you specify the NULL keyword in the VALUES clause for a specific column.

ANSWER: C E

QUESTION NO: 7

Which two events can initiate a trigger on a table? (Choose two.)

- A. DROP

- B. ALTER
- C. INSERT
- D. SELECT
- E. TRUNCATE

ANSWER: C D

QUESTION NO: 8

In which database does Informix store the information when a new task is created in OpenAdmin Tool's Task Scheduler?

- A. sysutils
- B. sysusers
- C. sysadmin
- D. sysmaster

ANSWER: C

QUESTION NO: 9

When installing Informix, which two installation methods can be used? (Choose two.)

- A. quiet
- B. native
- C. staged
- D. console
- E. graphical

ANSWER: D E

QUESTION NO: 10

Which of the following is true about star schemas?

- A. A star schema is optimal for OLTP systems.
- B. A star schema is also known as a 3rd Normal Form schema.
- C. A star schema is associated with master-detail relationships between tables.

D. A star schema is not necessarily a snowflake schema, but a snowflake schema is always a star schema.

ANSWER: D

DUMPSARENA