

# DUMPS ARENA

**IBM DB2 11.1 DBA for LUW**

**IBM C2090-600**

**Version Demo**

**Total Demo Questions: 10**

**Total Premium Questions: 60**

**Buy Premium PDF**

**<https://dumpsarena.com>**

**[sales@dumpsarena.com](mailto:sales@dumpsarena.com)**

**dumpsarena.com**

**QUESTION NO: 1**

If the following SQL statements are executed:

```
CREATE TABLE department
(deptno CHAR(3) NOT NULL,
location CHAR(16))
ORGANIZE BY ROW;

ALTER TABLE department
ADD CONSTRAINT pk_dept PRIMARY KEY (deptno) NOT ENFORCED;

INSERT INTO department VALUES ( 'A25', 'New York');
INSERT INTO department VALUES ( 'B26', 'Chicago');
INSERT INTO department VALUES ( 'A25', 'Dallas');
INSERT INTO department VALUES ( 'A56', 'San Jose');
```

How many rows will be added to the DEPARTMENT table?

- A. 1
- B. 2
- C. 3
- D. 4

**ANSWER: D**

**QUESTION NO: 2**

Which options are valid for an online reorganization operation?

- A. FULL and RECLAIM EXTENTS
- B. CLASSIC and RECLAIM EXTENTS
- C. FULL and CLEANUP OVERFLOWS
- D. CLEAN OVERFLOWS and RECLAIM EXTENTS

**ANSWER: A**

**QUESTION NO: 3**

Which two tasks must be done to read data directly from IBM Softlayer Object Storage and insert it into a DB2 database? (Choose two.)

- A. Catalog a storage access alias in the DB2 database
- B. Create an FTP account on IBM Softlayer Object Storage
- C. Use the DB2REMOTE parameter of the LOAD command
- D. Establish a remote connection to IBM Softlayer Object Storage using DB2 Connect
- E. Create a local disk alias at the database server operating system level that points to IBM Softlayer Object Storage

**ANSWER: A C**

**QUESTION NO: 4**

Which ALTER TABLE statements will put a table named TAB1 in "reorg-pending" state? (Choose two.)

- A. ALTER TABLE tab1 APPEND ON
- B. ALTER TABLE tab1 DROP COLUMN col1
- C. ALTER TABLE tab1 ALTER COLUMN col1 SET NOT NULL
- D. ALTER TABLE tab1 DETACH PARTITION part1 INTO tab\_part1
- E. ALTER TABLE tab1 ADD CONSTRAINT pk\_tab1 PRIMARY KEY (col1)

**ANSWER: B C**

**QUESTION NO: 5**

The DBA has observed that queries executed against SALES table have poor performance. SALES is a compressed table and recently there have been a lot of rows inserted and modified in that table. The DBA has detected that lower performance may be the result of sub-optimal compression dictionary for that table.

Which of the following commands should be used to resolve the problem without preventing users from changing data in the SALES table

- A. REORG TABLE sales INPLACE RESETDICTIONARY
- B. REORG TABLE sales INPLACE REBUILDDICTIONARY
- C. REORG TABLE sales ALLOW WRITE ACCESS RESETDICTIONARY
- D. REORG TABLE sales ALLOW WRITE ACCESS REBUILDDICTIONARY

**ANSWER: C**

**QUESTION NO: 6**

When the DB2\_WORKLOAD registry variable is assigned the value ANALYTICS and then a new database is created, what happens? (Choose two.)

- A. The PAGESIZE database configuration parameter is set to 32K.
- B. The AUTO\_REORG database configuration parameter is set to NO.
- C. The DFT\_EXTENT\_SZ database configuration parameter is set to 8.
- D. The DFT\_TABLE\_ORG database configuration parameter is set to COLUMN.
- E. The INTRA\_PARALLEL database manager configuration parameter is set to NO.

**ANSWER: D E**

**QUESTION NO: 7**

Which data types are only valid when DB2\_COMPATIBILITY\_VECTOR=ORA? (Choose two.)

- A. XML
- B. REAL
- C. NUMBER
- D. VARCHAR2
- E. VARBINARY

**ANSWER: C E**

**QUESTION NO: 8**

Which operation can be performed with trusted context privileges that are acquired through a role?

- A. DML operations
- B. DDL operations
- C. Server maintenance operations
- D. Security administration operations

**ANSWER: A**

**QUESTION NO: 9**

An HADR environment has two standby databases – one principal and one auxiliary. What is the only mode that can be used to transfer data to the auxiliary standby?

- A. SYNC
- B. ASYNC
- C. NEARSYNC
- D. SUPERASYNC

**ANSWER: D**

#### QUESTION NO: 10

When operating in NPS compatibility mode, which of the following are limitations for using a routine written in NZPLSQL? (Choose two.)

- A. The routine cannot contain comments.
- B. The routine must return either an integer or a null.
- C. The routine must be cross-compatible with Oracle PL/SQL syntax rules.
- D. The routine cannot contain argument lists or variable arguments (varargs).
- E. The routine must be generated with IBM Database Conversion Workbench (DCW).

**ANSWER: B D**