Certified LabVIEW Associate Developerination

NI CLAD

Version Demo

Total Demo Questions: 8

Total Premium Questions: 114 Buy Premium PDF


> https://dumpsarena.com sales@dumpsarena.com

dumpsarena.com



QUESTION NO: 1

Which of the following VIs will generate a human-readable text file?



- A. Option A
- B. Option B
- C. Option C
- **D.** Option D

ANSWER: B

QUESTION NO: 2

Which of the following is the best method to update an indicator on the front panel?

- A. Use a Value property node
- B. Wire directly to the indicator terminal
- C. Use a local variable
- D. Use a functional global variable

ANSWER: B

QUESTION NO: 3

If an input name on the Show Context Help window is in bold for a SubVI, which of the following conditions are true? (Choose all apply)

- A. Input values must be scalar.
- B. An input is recommended, but not required.
- **C.** An input is required.
- D. A broken run arrow will result unless the input is wired.

ANSWER: C D

QUESTION NO: 4

Which of the following apply to Property Nodes? (Choose all apply)

- A. Property Nodes allow attributes of front panel objects to be programmatically manipulated.
- B. Property Nodes can be used to u pdate the values contained in a front panel object.

- C. More than one Property Node can be used for a single front panel object.
- **D.** Property Nodes contained in a SubVI will always cause the front panel to be loaded in memory.

ANSWER: A B C D

QUESTION NO: 5

In what instance would you use the Probe tool rather than Highlight Execution?

- A. To see the flow of data
- B. To see the value of a wire in real-time
- C. To look into a SubVI, as the process is running
- D. To slowdown the VI and show data values in wires

ANSWER: B

QUESTION NO: 6

Which of the following statements is true?

A. The default setting for a tunnel into or out of a For Loop has auto-indexing enabled if the data being passed is an array. and

B. The default setting for a tunnel into or out of a While Loop has auto-indexing disabled if the data being passed is an array. are trued.

C. Both

D. None of the above

ANSWER: C

QUESTION NO: 7

Which VI memory components are ALWAYS S resident for a SubVI? (Choose all apply)

- A. Data Space
- B. Front Panel
- C. Block Diagram

D. Code

ANSWER: A D

QUESTION NO: 8

What will be displayed in Data Array Out after the VI runs with Data Array In and name input as shown?

	20.000	Data Array In				
	30	Name	Name	Name	Name	
		Test 1	Test 2	Test 3	Backup	
		Success Count	Success Count	Success Count	Success Count	
		7	4	5	0	
		S. 8				
		Name				
		Test 2				
	50	10,10		2017	1 ° - ° 0	20
	N	10,10		- 9. m.		20
	N			2000 2000		200 - 1 2
	N	Unbundle By Nan	16			
	The start	Unbundle By Nan Success Count			lle By Name	Data Array (
	The start				lle By Name	Data Array (
ita Array In V D	The start	Success Count				Data Array (
ame	The start	Success Count				Data Array (
	The start	Success Count				Data Array (

0	Name	Name	Name	Name	
	Test 1	Test 2	Test 3	Backup	
	Success Count	Success Count	Success Count	and the second se	
	1.1.	1 13	10		
20	Data Array Out				
0	Name	Name	Name	Name	
	Test 1	Test 2	Test 3	Backup	
	Success Count 7	Success Count	Success Count	Success Count	
				A CONTRACTOR OF	
-	Data Array Out	- 0, ⁶ 7)			
) 0	Name				
() o	Name Test 2				
0	Name				
90	Name Test 2 Success Count				
) o	Name Test 2 Success Count 5	Name	Name	Name	
) o	Name Test 2 Success Count 5 Data Array Out		Name Test 3	Name Backup	

- A. Option A
- B. Option B
- C. Option C
- D. Option D

ANSWER: A