Administration of Veritas NetBackup 7.7

Veritas VCS-274

Version Demo

Total Demo Questions: 10

Total Premium Questions: 116 Buy Premium PDF

> https://dumpsarena.com sales@dumpsarena.com

dumpsarena.com

Topic Break Down

Торіс	No. of Questions
Topic 1, Describe how to configure various settings and host properties	8
Topic 2, Describe how to configure media, volume pools and volume groups	4
Topic 3, Describe how to configure tape and disk storage	7
Topic 4, Describe how to configure and utilize policy attributes	6
Topic 5, Describe how to configure and utilize policy scheduling	0
Topic 6, Describe how to configure policy clients and backup selections	3
Topic 7, Explain how to implement specialized backup solutions	10
Topic 8, Describe the function, uses, and administration of deduplication	10
Topic 9, Describe how to perform catalog backup configuration tasks	2
Topic 10, Describe how to obtain and install NetBackup release updates	3
Topic 11, Describe media and image retention concepts	7
Topic 12, Describe how to manage disk storage, tape devices and tape media	8
Topic 13, Interpret available reports to verify and monitor NetBackup	4
Topic 14, Describe how and when to run backup and deduplication jobs	4
Topic 15, Describe how to initiate, prioritize, and monitor restore jobs	3
Topic 16, Analyze, optimize, and tune NetBackup	5
Topic 17, Interpret status codes and job details	6
Topic 18, , Troubleshoot devices and media	7
Topic 19, Troubleshoot common issues related to disaster recovery	17
Total	116



QUESTION NO: 1

Backup jobs to an MSDP storage unit of a large EXT3 file system for a Linux client connected via a 1 GbE network are taking excessive time.

Which two settings should an administrator change to improve the performance of the backups? (Select two.)

- A. enable client-side deduplication
- B. enable multiplexing
- C. enable Use Change Journal for the client
- D. enable Use Accelerator for the policy
- E. enable WAN optimization

ANSWER: A D

QUESTION NO: 2

Which two prerequisites must an administrator perform to enable restoration of individual objects and attributes in Active Directory? (Select two.)

- A. install the NetBackup File System daemon (nbfsd) on the client
- B. choose the "Enable granular recovery" option in the policy
- C. choose the "Use Accelerator" option in the policy
- D. choose Active Directory policy type
- E. enable the Network File System (NFS) on the client

ANSWER: B E

QUESTION NO: 3

Which interface is pre-configured with the 192.168.229.233 IP address?

- A. bond0
- **B.** eth0
- **C.** eth1
- D. IPMI

ANSWER: B

QUESTION NO: 4

Which two schedule types are allowed for the NBU-Catalog policy type? (Select two.)

- A. Automatic Backup
- B. Vault Catalog Backup
- C. Full Catalog Backup
- D. Full Backup
- E. Application Backup

ANSWER: B D

QUESTION NO: 5

An organization needs to have backups span between different BasicDisk storage units. The "Allow backups to span disk" setting has been enabled in Host Properties.

Which additional requirement must an administrator meet to allow backups to span disks?

- A. enable the "Enable standalone drive extension" setting in host properties
- B. put the BasicDisk storage units in a storage unit group
- C. create a disk pool with all the appropriate disk volumes
- D. configure the Media Server as a Storage Server

ANSWER: B

QUESTION NO: 6

An administrator needs to duplicate a backup that completed successfully earlier that same day.

How can this be accomplished?

- A. locate the original backup from NetBackup Management > Reports > Images on Media, right click and select duplicate
- B. locate the policy for the original backup and initiate a manual backup
- C. locate the original backup in the activity monitor, right click and select restart
- D. locate the original backup from NetBackup Management > Catalog, right click and select duplicate

ANSWER: D

QUESTION NO: 7

Which event can cause a NetBackup appliance to shut down?

- A. multiple disk failures that put data at risk
- B. fan failure
- C. RAID battery backup failure
- D. power supply input voltage overload

ANSWER: D

QUESTION NO: 8

Which two conditions must be met to change the volume group of a tape? (Select two.)

- A. backup tapes must be in the same library or standalone
- B. backup tapes must have barcode labels
- C. backup tapes must be unassigned
- D. backup tapes must be vaulted
- E. backup tapes must have the same media type

ANSWER: A E

QUESTION NO: 9

The MSDP catalog on a Media Server has become corrupted.

Which two methods are available to bring the MSDP pool back online? (Select two.)

- A. restore the MSDP catalog from the NetBackup catalog backup
- B. recover the MSDP catalog from the MSDP catalog backup
- C. repair the MSDP catalog using the crchk tool
- D. restore the MSDP catalog from an MSDP catalogshadow copy
- E. repair the MSDP catalog using the recoverCR tool

ANSWER: B D

QUESTION NO: 10

An administrator wants to review the throughput of backup clients to improve performance.

Which area of the NetBackup Administration Console displays the throughput of backups for all clients?

- A. Status of Backups
- B. Device Monitor
- C. All Log Entries
- D. Client Backups

ANSWER: C